

Cell lines Category B: MTA required

Part of the CLS cell bank



Cooperations between CLS and Technology Transfer Centers

CLS manages this special collection of cell lines and thus acts as intermediary between the customer and the Technology Transfer Center(s), which have deposited one or more of the cell lines listed below.

NOTE: A MTA must be completed and signed by the principal investigator and/or the director of the Institution. Please find more information on the last page.

Name of cell line	Designation (Tissue-Disease)	Institution	Size	CLS order no.
E11	Murine Kidney podocyte cell line	LICR (Ludwig Institute of Cancer Research)	Cryovial	4004194
E11 gDNA	Genomic DNA isolated from E11 cells 0.5 and 1 µg	"	0.5 µg 1 µg	400494GD05 400494GD1
E11 lysate	Whole Cell Lysate from E11 cells, 100 µl	"	100 µg	400494CL
SVI	Murine Kidney podocyte cell line	"	Cryovial	400495
SVI gDNA	Genomic DNA isolated from SVI cells, 0.5 and 1 µg	"	0.5 µg 1 µg	400495GD05 400494GD1
SVI Lysate	Whole Cell Lysate from SVI, 100 µl	"	100 µg	400495CL
HaCaT	Human Keratinocyte cell line	DKFZ (German Cancer Research Center)	Cryovial	300493
HaCaT gDNA	Genomic DNA isolated from HaCaT cells 0.5 and 1 µg	"	0.5 µg 1 µg	300493GD05 300493GD1
HaCaT lysate	Whole Cell Lysate from HaCaT, 100 µl	"	100 µg	300493CL
NCH421K	Human Stem Cell Like Glioma cell line	University Clinic Heidelberg	Cryovial	300118
NCH421K gDNA	Genomic DNA isolated from NCH421K cells, 0.5 and 1 µg	"	0.5 µg 1 µg	300118GD05 300118GD1
NCH421K Lysate	Whole Cell Lysate from NCH421K, 100 µl	"	100 µg	300118CL
NCH612	Human Anaplastic Oligodendroglioma cell line	"	Cryovial	300121
NCH612 gDNA	Genomic DNA isolated from NCH612 cells, 0.5 and 1 µg	"	0.5 µg 1 µg	300121GD05 300121GD1

Name of cell line	Designation (Tissue-Disease)	Institution	Size	CLS order no.
NCH612 Lysate	Whole Cell Lysate from NCH612, 100 µl	University Clinic Heidelberg	100 µg	300121CL
NCH644	Human Stem Cell Like Glioma cell line	“	Cryovial	300124
NCH644 gDNA	Genomic DNA isolated from NCH644 cells, 0.5 and 1 µg	“	0.5 µg 1 µg	300124GD05 300124GD1
NCH644 Lysate	Whole Cell Lysate from NCH644, 100 µl	“	100 µg	300124CL
NCH690	Human Stem Cell Like Glioma cell line	“	Cryovial	300120
NCH690 gDNA	Genomic DNA isolated from NCH690 cells	“	0.5 µg 1 µg	300120GD05 300120GD1
NCH690 Lysate	Whole Cell Lysate from NCH690	“	100 µg	300120CL
HNO41	Human HNSCC cell line	“	Cryovial	300126
HNO41 gDNA	Genomic DNA isolated from HNO41 cells	“	0.5 µg 1 µg	300126GD05 300126GD1
HNO41 Lysate	Whole Cell Lysate from HNO41	“	100 µg	300126CL
HNO97	Human HNSCC cell line	“	Cryovial	300129
HNO97 gDNA	Genomic DNA isolated from HNO97 cells, 0.5 and 1 µg	“	0.5 µg 1 µg	300129GD05 300129GD1
HNO97 Lysate	Whole Cell Lysate from HNO97, 100 µl	“	100 µg	300129CL
HNO210	Human HNSCC cell line	“	Cryovial	300134
HNO210 gDNA	Genomic DNA isolated from HNO210 cells, 0.5 and 1 µg	“	0.5 µg 1 µg	300134GD05 300134GD1
HNO210 Lysate	Whole Cell Lysate from HNO210	“	100 µg	300134CL
HNO223	Human HNSCC cell line	“	Cryovial	300142
HNO223 gDNA	Genomic DNA isolated from HNO223 cells, 0.5 and 1 µg	“	0.5 µg 1 µg	300142GD05 300142GD1
HNO223 Lysate	Whole Cell Lysate from HNO223, 100 µl	“	100 µg	300142CL

Name of cell line	Designation (Tissue-Disease)	Institution	Size	CLS order no.
HNO258	Human HNSCC cell line	University Clinic Heidelberg	Cryovial	300146
HNO258 gDNA	Genomic DNA isolated from HNO258 cells, 0.5 and 1 µg	“	0.5 µg 1 µg	300146GD05 300146GD1
HNO258 Lysate	Whole Cell Lysate from HNO258, 100 µl	“	100 µg	300146CL
HeLa Kyoto EB3 EGFP	EGFP EB3 stably expressed in HeLa Kyoto cells	EMBL (European Molecular Biology Laboratory)	Cryovial	300668
HeLa Kyoto EGFP alpha-tubulin/H2B-mCherry	alpha-tubulin/H2B-mCherry EGFP stably expressed in HeLa Kyoto cells	“	Cryovial	300670
HeLa Kyoto H2B EGFP	H2B EGFP stably expressed in HeLa Kyoto cells	“	Cryovial	300673
HeLa Kyoto Kleisin-beta EGFP	EGFP-Kleisin-beta stably expressed in HeLa Kyoto cells	“	Cryovial	300674
HeLa Kyoto Cap-D2 EGFP	EGFP CAP-D2 stably expressed in HeLa Kyoto	“	Cryovial	300675
HeLa Kyoto EGFP-Lamin B1/H2B-mCherry	EGFP-Lamin B1/H2B-mCherry stably transfected in HeLa Kyoto cells	“	Cryovial	300919
HeLa Kyoto Mad2-LAP /H2B-mCherry	Mad2-LAP /H2B-mCherry stably transfected in HeLa Kyoto cells	“	Cryovial	300920
HeLa Kyoto LaminA EGFP/H2B-mCherry	EGFP-LaminA/H2B-mCherry stably transfected in HeLa Kyoto cells	“	Cryovial	300921
HK-2xZFN-mEGFP-Nup107	EGFP-Nup107 stably transfected in HeLa Kyoto cells	“	Cryovial	300676
HK-ZFN-AURKB-mEGFP	HeLa Kyoto with endogenous AURKB tagged with mEGFP	“	Cryovial	300173
HK-ZFN-AURKB-mEGFP, ZFN-INCEMP-mCherry	HeLa Kyoto with endogenous AURKB and endogenous INCEMP	“	Cryovial	300270

Name of cell line	Designation (Tissue-Disease)	Institution	Size	CLS order no.
NRK-Pom121-3EGFP	Pom121-3EGFP stably expressed in NRK cells	EMBL (European Molecular Biology Laboratory)	Cryovial	500669
NRK-IBB-DiHcRed1	IBB-DiHcRed1 stably expressed in NRK cells	“	Cryovial	500671
NRK-4xlambdaN22-3xmEGFP-M9	4xlambdaN22-3xmEGFP-M9 stably expressed in NRK cells	“	Cryovial	500672
NRK-EGFP-H2B	EGFP-H2B stably expressed in NRK cells	“	Cryovial	500724
NRK-EGFP2-Nup50	EGFP2-Nup50 stably expressed in NRK cells	“	Cryovial	500726
NRK-EGFP3-Seh1	EGFP3-Seh1 stably expressed in NRK cells	“	Cryovial	500731
2106T	Lung tumor cell line, primary tumor	University Clinic Heidelberg (Thoraxklinik)	Cryovial	300165
2106LN	Lung tumor cell line, lymph node metastasis	“	Cryovial	300166
2427T	Lung tumor cell line, primary tumor	“	Cryovial	300167
SK-BR-3	Human Breast adenocarcinoma cell line	Memorial Sloan Kettering Cancer Center (MSKCC)	Cryovial	300333
SK-ES-1	Human Bone Ewing's sarcoma cell line	“	Cryovial	300435
SK-HEP-1	Human Liver adenocarcinoma cell line	“	Cryovial	300334
SK-LMS-1	Human Uterine leiomyosarcoma cell line	“	Cryovial	300125
SK-LU-1	Human Lung adenocarcinoma (G III) cell line	“	Cryovial	300335
SK-MEL-1	Human melanoma cell line	“	Cryovial	300424
SK-MEL-28	Human melanoma cell line	“	Cryovial	300337

Name of cell line	Designation (Tissue-Disease)	Institution	Size	CLS order no.
SK-MEL-5	Human melanoma cell line	Memorial Sloan Kettering Cancer Center (MSKCC)	Cryovial	300157
SK-MES-1	Human Lung squamous cell carcinoma cell line	“	Cryovial	300339
SK-N-LO	Human Neuroblastoma cell line	“	Cryovial	300400
SK-N-MC	Human Askin tumor cell line	“	Cryovial	300340
SK-OV-3	Human Ovary adenocarcinoma cell line	“	Cryovial	300342
SK-UT-1	Human Uterine leiomyosarcoma (G III) cell line	“	Cryovial	300455
SK-UT-1B	Human Uterine leiomyosarcoma (G III) cell line	“	Cryovial	300406
CC531	Rat Colon adenocarcinoma cell line	University of Leiden, The Netherlands	Cryovial	500387

Information on cell culture conditions, authentication data, cell morphologies and more can be found on the website: www.clsgmbh.de and on the respective Product information sheet.

Cell lines of Category B: Cooperations between CLS and Technology Transfer Centers

CLS manages this special collection of cell lines and thus acts as intermediary between the customer and the Technology Transfer Center(s), which have deposited the particular cell lines listed above.

MTA-requiring cell line(s), Intended basic Research Use only, requested for purchase by not-for-profit insititutions:

All of the cell line(s) listed above are in need of a MTA, which must be completed and signed by the customer. The MTA may be downloaded once the customer has successfully logged in at www.clsgmbh.de under the section ‚Description‘ of the respective cell line(s). The customer must be affiliated with a Research Institution. It is required that the signed MTA is forwarded to CLS ahead of the dispatch of the cell line(s). Any customer affiliated with a for-profit institution is not elegendible for this MTA. The General Terms and Conditions of Supply of CLS Cell Lines Service GmbH are valid. According to the Terms, the products are not intended to be resold and/or modified for resale.

MTA-requiring cell line(s), Intended Commercial Applications, requested for purchase by not-for-profit insititutions and for-profit organizations:

If one or more of the cell line(s) as listed above are supposed to be used for commercial applications, the MTA must be negotiated between the customer and the respective Technology Transfer Center. As soon as the signed MTA is forwarded to CLS, the order process is being started. From now on, CLS processes the order confirmation and sets up the shipping schedule. Invoicing, however, will be completed by the respective Technology Transfer Center.

Please contact CLS with respect to the contact person(s) of the respective Transfer Technology Centers and in case of any further questions at: **info (at) clsgmbh.de**.

Advantage for the depositing scientist / Technology Transfer Center:

A part of every sale of the cell line(s) listed above is returned to the Technology Transfer Unit and finally to the scientist who has put in most efforts to generate the highly valuable biological material. These ‚Royalties‘ may then be used for ongoing interesting future research projects.

The General Terms and Conditions of Supply of CLS Cell Lines Service GmbH apply. According to the Terms, the products are not intended to be resold and/or modified for resale. Their usage in order to provide commercial services or to manufacture commercial products is prohibited unless approved in writing by CLS.

CLS Cell Lines Service GmbH

Dr.Eckener-Str. 8
69214 Eppelheim
Germany
Phone: +49(0)6221 700799

Managing Director
Dr. Rosemarie Steubing
HRB 714394, Amtsgericht Mannheim
VAT-ID: DE283292917
FAX: +49(0)6221 700717